

## ACR AquaLink™



406 MHz GPS Personal Locator Beacon



PLB







## THE SCIENCE OF SURVIVAL



0

0

AGE OPS

DO NOT COVER GPS RECEIVER re clear view to sk


AquaLink Personal Locator Beacor

0

www.ACRARTEX.com



## **ACR AquaLink**<sup>™</sup>







levels of integrated signal technology — GPS positioning, a powerful 406 MHz signal, and 121.5 MHz homing capability — the AquaLink<sup>™</sup> quickly and accurately relays your position to a worldwide network of Search and Rescue satellites, reducing search time and increasing your chances of survival. It's reliable signaling technology that has saved more than 30,000 lives since 1982.

Head offshore with confidence. With three

The AquaLink<sup>™</sup> broadcasts a unique registered distress signal that not only tells

rescuers where you are, but who you are. The onboard GPS can fix your position to within 100 meters and then utilizes a powerful 406 MHz signal to relay your distress call to orbiting satellites. As local Search and Rescue is deployed, a separate homing signal and integrated LED strobe light guide rescuers to your exact location.

The AquaLink<sup>™</sup> is small enough to be easily carried in a pack or pocket or can be worn on deck, at the helm, in quarters or on a life vest and will float if accidentally dropped overboard. Performing a full functional self test of the PLB's internal circuitry, battery voltage & power, and 406 MHz transmission gives you peace of mind knowing your PLB will work the moment you need it most. ACR Exclusive: Built-in GPS acquisition test mode allows you to test GPS functionality up to 12 times over the life of the battery.

Tap in to the same field-tested rescue technology used by the U.S. Military, U.S. Coast Guard, NATO Special Forces and Arctic explorers.



## SPECIFICATIONS

Model Number	PLB-350 B
Size	5.9 x 14.8 x 3.7 cm
Weight	261 g with lanyard
Battery, Class	Class 2 (non-hazmat) lithium batteries
Battery, Replace	ment Interval Replacement due six (6) years from date of manufacture or five (5) years after beacon is placed into service, whichever is first, or after emergency use
Battery, Operatio	onal Life Exceeds 24 Hours @ -20°C
Battery, Typical	Performance 35 Hours @ -20°C
Battery, Storage	-40°C to +70°C
Material	Engineered polycarbonate blend
Color	ACR-treuse <sup>™</sup> (high visibility yellow)
Activation	Manual
Operation	2 steps: deploy antenna, press ON button. Give clear view of sky
Waterproof	5 m @ 1 hr., 10 m @ 10 min. Factory tested @ 21°C, exceeds RTCM waterproof requirements
Radiated Power	6.3W (406 MHz), 50 mW +/-3dB (121.5 MHz)
Accessories	Attachment clip included
Approvals	Cospas-Sarsat, FCC, Canada, R&TTE
Limited Warranty	5 years
Lead Free	Yes

www.ACRARTEX.com For further information please contact:

eyesight, or valuable property will occur without assistance. © 2012 ACR Electronics, Inc. 03/12

ACR Electronics, Inc. • 5757 Ravenswood Road • Fort Lauderdale, FL 33312 Tel: (954) 981.3333 • Fax: (954) 983.5087 • Email: sales@acrartex.com